

ErrorLOG

Asterisk Log messages Refresh Go

[Apr 8 08:02:02] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC

[Apr 8 08:02:02] ERROR[12007] cel.c: Unknown event name 'BRIDGE_START'

[Apr 8 08:02:02] ERROR[12007] config_options.c: Error parsing

events=APP_START,CHAN_START,CHAN_END,ANSWER,HANGUP,BRIDGE_START,BRIDGE_END at line 76 of

[Apr 8 08:02:02] ERROR[12007] config_options.c: In cel.conf: Processing options for general failed

[Apr 8 08:02:03] ERROR[12007] res_fax.c: 'modems' setting 'V17,V27,V29' is incompatible with 'minrate' setting 2400

[Apr 8 08:02:03] ERROR[12007] res_fax.c: failed to load configuration file 'res_fax.conf'

[Apr 8 08:02:03] ERROR[12007] ari/config.c: No configured users for ARI

[Apr 8 08:02:04] ERROR[12007] config_options.c: Could not find config type for category 'agents' in 'agents.conf'

[Apr 8 08:02:04] ERROR[12007] app_agent_pool.c: Unable to load config. Not loading module.

[Apr 8 12:48:20] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC

[Apr 8 12:48:20] ERROR[19367] ari/config.c: No configured users for ARI

[Apr 8 12:48:58] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:48:58] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:48:59] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:49:20] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:49:40] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:50:01] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:50:21] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:50:42] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:51:02] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:51:23] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:51:43] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:52:04] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:52:24] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:52:45] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:53:05] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:53:26] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:53:47] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:54:07] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:54:28] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:54:48] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:55:09] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:55:29] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:55:50] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:56:10] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

第 1 頁

ErrorLOG

[Apr 8 12:56:31] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:56:51] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:57:12] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:57:32] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:57:53] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:58:13] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:58:34] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:58:54] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:59:15] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:59:36] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 12:59:56] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:00:17] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:00:37] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:00:58] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:01:18] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:01:39] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:01:59] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:02:20] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:02:40] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:03:01] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:03:21] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:03:42] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:04:02] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:04:23] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:04:44] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:05:04] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:05:25] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:05:45] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:06:06] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:06:26] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:06:47] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:07:07] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:07:28] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:07:48] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:08:09] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:08:29] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

[Apr 8 13:08:50] ERROR[12279] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known

第 2 頁

第 3 頁

ErrorLOG

第 4 頁

第 5 頁

ErrorLOG

第 6 頁

ErrorLOG

[illegible]

第 7 頁

ErrorLOG

[illegible]

第 8 頁

ErrorLOG

[illegible]

第 9 頁

ErrorLOG

[illegible]

第 10 頁

第 11 頁

[illegible]

第 13 頁

[illegible]

第 14 頁

ErrorLOG

```
[Apr 8 15:36:00] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:36:20] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:36:41] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:37:01] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:37:22] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:37:42] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:38:03] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:38:23] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:38:44] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:39:04] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:39:25] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:39:45] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:40:06] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:40:26] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:40:47] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:41:07] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:41:28] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:41:49] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:42:09] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:42:30] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:42:50] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:43:11] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:43:31] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:43:52] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:44:12] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:44:33] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:44:53] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:45:14] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:45:34] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:45:55] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:46:15] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:46:36] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:46:57] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:47:17] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:47:38] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:47:58] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:48:19] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
```

第 15 頁

ErrorLOG

```
[Apr 8 15:48:39] ERROR[12065] netsock2.c: getaddrinfo("s2hkbntel.net", "(null)", ...): Name or service not known
[Apr 8 15:50:15] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 15:50:15] ERROR[3342] ari/config.c: No configured users for ARI
[Apr 8 15:53:01] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 15:53:01] ERROR[4159] ari/config.c: No configured users for ARI
[Apr 8 16:11:07] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 16:11:07] ERROR[11782] ari/config.c: No configured users for ARI
[Apr 8 17:04:30] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 17:04:30] ERROR[422] ari/config.c: No configured users for ARI
[Apr 8 17:08:16] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 17:08:16] ERROR[11828] cel.c: Unknown event name 'BRIDGE_START'
[Apr 8 17:08:16] ERROR[11828] config_options.c: Error parsing
events=APP_START,CHAN_START,CHAN_END,ANSWER,HANGUP,BRIDGE_START,BRIDGE_END at line 76 of
[Apr 8 17:08:16] ERROR[11828] config_options.c: In cel.conf: Processing options for general failed
[Apr 8 17:08:17] ERROR[11828] res_fax.c: 'modems' setting 'V17,V27,V29' is incompatible with 'minrate' setting 2400
[Apr 8 17:08:17] ERROR[11828] res_fax.c: failed to load configuration file 'res_fax.conf'
[Apr 8 17:08:17] ERROR[11828] ari/config.c: No configured users for ARI
[Apr 8 17:08:18] ERROR[11828] config_options.c: Could not find config type for category 'agents' in 'agents.conf'
[Apr 8 17:08:18] ERROR[11828] app_agent_pool.c: Unable to load config. Not loading module.
[Apr 8 17:10:34] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 17:10:34] ERROR[14810] ari/config.c: No configured users for ARI
[Apr 8 17:26:36] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 17:26:37] ERROR[11843] cel.c: Unknown event name 'BRIDGE_START'
[Apr 8 17:26:37] ERROR[11843] config_options.c: Error parsing
events=APP_START,CHAN_START,CHAN_END,ANSWER,HANGUP,BRIDGE_START,BRIDGE_END at line 76 of
[Apr 8 17:26:37] ERROR[11843] config_options.c: In cel.conf: Processing options for general failed
[Apr 8 17:26:37] ERROR[11843] res_fax.c: 'modems' setting 'V17,V27,V29' is incompatible with 'minrate' setting 2400
[Apr 8 17:26:37] ERROR[11843] res_fax.c: failed to load configuration file 'res_fax.conf'
[Apr 8 17:26:37] ERROR[11843] ari/config.c: No configured users for ARI
[Apr 8 17:26:39] ERROR[11843] config_options.c: Could not find config type for category 'agents' in 'agents.conf'
[Apr 8 17:26:39] ERROR[11843] app_agent_pool.c: Unable to load config. Not loading module.
[Apr 8 17:27:00] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 17:27:00] ERROR[12142] ari/config.c: No configured users for ARI
[Apr 8 17:47:32] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 17:47:32] ERROR[18806] ari/config.c: No configured users for ARI
[Apr 8 18:09:23] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 18:09:23] ERROR[24074] ari/config.c: No configured users for ARI
```

第 16 頁

ErrorLOG

```

[Apr 8 18:18:47] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 18:18:47] ERROR[26521] ari/config.c: No configured users for ARI
[Apr 8 18:23:10] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 18:23:10] ERROR[27560] ari/config.c: No configured users for ARI
[Apr 8 19:36:34] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 19:36:34] ERROR[11739] ari/config.c: No configured users for ARI
[Apr 8 19:43:44] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 19:43:44] ERROR[13692] ari/config.c: No configured users for ARI
[Apr 8 19:45:45] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 19:45:45] ERROR[14082] ari/config.c: No configured users for ARI
[Apr 8 19:49:19] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 19:49:19] ERROR[11805] cel.c: Unknown event name 'BRIDGE_START'
[Apr 8 19:49:19] ERROR[11805] config_options.c: Error parsing
events=APP_START,CHAN_START,CHAN_END,ANSWER,HANGUP,BRIDGE_START,BRIDGE_END at line 76 of
[Apr 8 19:49:19] ERROR[11805] config_options.c: In cel.conf: Processing options for general failed
[Apr 8 19:49:20] ERROR[11805] res_fax.c: 'modems' setting 'V17,V27,V29' is incompatible with 'minrate' setting 2400
[Apr 8 19:49:20] ERROR[11805] res_fax.c: failed to load configuration file 'res_fax.conf'
[Apr 8 19:49:20] ERROR[11805] ari/config.c: No configured users for ARI
[Apr 8 19:49:21] ERROR[11805] config_options.c: Could not find config type for category 'agents' in 'agents.conf'
[Apr 8 19:49:21] ERROR[11805] app_agent_pool.c: Unable to load config. Not loading module.
[Apr 8 20:29:39] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 20:29:39] ERROR[22798] ari/config.c: No configured users for ARI
[Apr 8 20:35:13] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 20:35:13] ERROR[23841] ari/config.c: No configured users for ARI
[Apr 8 20:52:47] Asterisk 13.1.0 built by root @ pkg on a x86_64 running Linux on 2015-01-29 08:17:35 UTC
[Apr 8 20:52:47] ERROR[11786] cel.c: Unknown event name 'BRIDGE_START'
[Apr 8 20:52:47] ERROR[11786] config_options.c: Error parsing
events=APP_START,CHAN_START,CHAN_END,ANSWER,HANGUP,BRIDGE_START,BRIDGE_END at line 76 of
[Apr 8 20:52:47] ERROR[11786] config_options.c: In cel.conf: Processing options for general failed
[Apr 8 20:52:48] ERROR[11786] res_fax.c: 'modems' setting 'V17,V27,V29' is incompatible with 'minrate' setting 2400
[Apr 8 20:52:48] ERROR[11786] res_fax.c: failed to load configuration file 'res_fax.conf'
[Apr 8 20:52:48] ERROR[11786] ari/config.c: No configured users for ARI
[Apr 8 20:52:49] ERROR[11786] config_options.c: Could not find config type for category 'agents' in 'agents.conf'
[Apr 8 20:52:49] ERROR[11786] app_agent_pool.c: Unable to load config. Not loading module.

```